

Mouse Monoclonal Antibody to

GSK3beta (N-terminus)

clone 11B9

biotinylated

Order No.: 0135-100BIOTIN/GSK3b-11B9

Size (µg) 100

Lot No.: 0135S

www.nanotools.de

orders & support:

email: info@nanotools.de

phone: +49-7641-455 670

fax: +49-7641-455 671

04/060418F

Isotype	Species Reactivity	Applications	Mol. Weight	Ref. Cell Line	Epitope	Immunogen
IgG1	human, mouse, rat, dog	WB, ELISA	46 kDa	HepG2	N-terminal region of GSK3beta	peptide conjugated to KLH

Background and Specificity:

Glycogen Synthase Kinase 3 beta (GSK3beta) is a serine/threonine kinase that is acting independently of most signal transduction pathways. The activity of GSK3beta can be modulated by phosphorylation of Ser 9 and Tyr 216 in the activation loop. GSK3beta plays a crucial role in phosphorylation of beta-catenin and thus is an important kinase involved in the regulation of beta-catenin/wnt-signaling.

Mab GSK3b-11B9 specifically recognizes GSK3beta at 46 kDa in Western blot and ELISA applications and does not crossreact with GSK3alpha.

Related Products

mab to GSK3alpha
#0211-100/GSK3a-10C1

mab to GSK3alpha (phospho-Ser21)
#0158-100/GSK3a-9B8

mab to GSK3beta
#0135-100/GSK3b-11B9

mab to GSK3beta (phospho-Ser9)
#0098-100/GSK3b-2D3
#0185-100/GSK3b-3A8

mab to GSK3beta (phospho-Tyr216)
mab to GSK3alpha (phospho-Tyr279)
#0258-100/GSK3b-6D3

Purification:	The antibody was purified from serum-free cell culture supernatant by subsequent thiophilic adsorption and size exclusion chromatography.
Formulation:	liquid; 0.5 mg/ml in PBS/0.09% Na-Azide/PEG and Sucrose
Reconstitution:	
Stability:	Aliquote and freeze in liquid nitrogen; antibody can be stored frozen at -80°C up to 1 year. Thaw aliquots at 37°C. Thawed aliquots may be stored at 4°C up to 3 months.

Avoid repeated freeze / thaw cycles

Positive Control: #0811: Cell lysate from untreated HepG2 cells.

Immunoblotting: 0.5 µg/ml for HRPO/ECL detection
Recommended blocking buffer: Casein/Tween 20 based blocking and blot incubation buffer, e.g. nanoTools product #3031-500/CPPT or #3031-3000/CPPT.

Immunoprecipitation: ND

Immunocytochemistry: ND

ELISA: use at 0.05 µg/ml

All products are supplied for research and investigational use only. Not for use in humans or laboratory animals.